


Floors For Dance



rosco

Which Floor Is Right For You?

Rosco Floor Recommendations

FLOOR	PAGE	BEST USE
Adagio	p.4	True multi-purpose floor - ballet, modern, jazz, tap, etc.
Apprentice	p.6	Studios - modern, jazz, tap, ballroom, drill team
Cabriole	p.5	Touring - slightly cushioned - ballet, modern, jazz, drill team
Dance Floor	p.4	Touring - ballet, modern, jazz, drill team
Performance Floor	p.6	Studios - all styles, sound absorptive
Royale	p.5	Studios - slightly cushioned - ballet, modern, jazz
Studio Floor	p.7	Studios - very light absorptive matte floor - ballet
Roscoleum	p.8	Theatres and television studios (rosin needed with ballet)
Roscotiles	p.8	Television studios - ballroom, tap, Flamenco
Show Floor	p.7	Specialty floor - special events, commercials
Rosco SubFloor	p.9	Sprung dance floor - easily installed and removed

A Quick Overview

TOURING	SEMI- PERMANENT	PERMANENT	FLOOR SPEED	SHOE STYLE
Excellent	Excellent	Excellent	Medium-Fast	All
Good	Excellent	Excellent	Fast	All
Excellent	Good	Not recommended	Medium	Soft
Excellent	Good	Not recommended	Medium-Fast	Soft
Excellent/Heavy	Excellent	Excellent	Medium-Slow	All
Good	Excellent	Excellent	Slow	Soft
Excellent/Heavy	Excellent	Good	Medium	Soft
Not recommended	Not recommended	Excellent	Fast	All
Excellent	Excellent	Excellent	Very Fast	Hard
Excellent/Heavy	Good	Not recommended	Medium	Soft
Excellent	Excellent	Excellent	N/A	N/A

*Notes: Floor speed is subjective from person to person and varies with temperature, humidity, and shoe style. Rosco gladly provides large samples of our floors for your inspection and comparison.
Shoe Style: Hard = tap, Flamenco, Irish, clogging, ballroom, high heels, and most street shoes (hard soles)
Soft = ballet, pointe, modern, jazz, tennis (soft soles)*

The most critical factor in choosing a floor is how it feels to the people who will use it. Most dancers and managers can determine this from a hand-held sample (available at no charge). A sample can also provide a good idea of the qualities of the vinyl surface.

How the floor will be used is also crucial. Rosco's floor range provides the perfect floor for any application. All floors may be used for ballet, modern or jazz dancing, but only Adagio and Apprentice are ideal tap or Flamenco surfaces. Touring companies have special needs that are filled by Dance Floor and Cabriole. If permanent installation is of primary concern, consider the dimensionally stable Royale, Adagio or Apprentice.

All Rosco floors are constructed of vinyl with a variety of surface treatments to provide the ideal skid resistance and exceptional wear for your application. All floors are available in black and grey, but colors and prices vary from floor to floor. Samples are available through Rosco or your local Rosco dealer.

Adagio™

If versatility in usage is your primary concern, Adagio should be your first choice. It is recommended for tap but its non-reflective, controlled slip vinyl surface makes it equally successful as a ballet, modern and jazz floor. Because it is dimensionally stable it can be permanently installed using Rosco adhesives for long term use.

Best used for: ballet, modern, jazz, tap

Width:	59" (1.5m)	Installation options:
Length:	101.7' (31m)	Temporary
Thickness:	0.06" (1.5mm)	Semi-permanent
Weight:	2.42 lbs. linear ft./250 lbs. roll	Permanent

Colors: Black or Grey

Sold in full rolls or by the linear foot.

Product No.:	08922	Black	59" x linear foot
	08922 5900	Black	59" x 101.7 feet
	08935	Grey	59" x linear foot
	08935 5900	Grey	59" x 101.7 feet

Rosco Dance Floor

The most widely used portable dance floor in the world. Rosco Dance Floor is the preferred touring floor for virtually every major dance company. Because of the attractive price and familiar surface, Rosco Dance Floor is often specified in studios also. This reversible floor is offered in Black/Grey or Black/White; both sides are appropriate for dancing.


Best used for: ballet, modern, jazz, drill team

Width:	63" (1.6m)	Installation options:
Length:	131.25' (40m)	Temporary
Thickness:	0.05" (1.3mm)	Semi-permanent
Weight:	1.9 lbs. linear ft./255 lbs. roll	

Colors: Black/Grey or Black/White
(Red/Tan and Blue/Black available in full rolls only. Call for availability.)

Sold in full rolls or by the linear foot.

Product No.:	08720	Black/Grey	63" x linear foot
	08720 6300	Black/Grey	63" x 131.25 feet
	08723	Black/White	63" x linear foot
	08723 6300	Black/White	63" x 131.25 feet



Cabriole™

Discover the benefits of a cushioned floor that tours easily. Cabriole provides a two-sided dance floor, black on one side, grey on the other with a layer of cushioning between the two dance surfaces. Cabriole is lightweight and easy to handle during transport. It can be used in touring or semi-permanent installations.

Best used for: ballet, modern, jazz, drill team

Width:	55" (1.4m)	Installation options:
Length:	147.64' (45m)	Temporary
Thickness:	0.06" (1.5mm)	Semi-permanent
Weight:	1.6 lbs. linear ft./237 lbs. roll	

Colors: Black/Grey

Sold in full rolls or by the linear foot.

Product No.:	08820	Black/Grey	55" x linear foot
	08820 5500	Black/Grey	55" x 147.64 feet

Royale™

Royale is Rosco's premiere cushioned floor for all soft shoe types of dance. It is manufactured with a hardwearing, slip-resistant vinyl laminated to firm foam backing. Royale's fast "lay flat" characteristics makes it a good choice for touring. It's dimensional stability allows for worry free permanent installation.

Best used for: ballet, modern, jazz

Width:	78.7" (2m)	Installation options:
Length:	114' (35m)	Temporary
Thickness:	0.12" (3mm)	Semi-permanent
Weight:	2.65 lbs. linear ft./310 lbs. roll	Permanent

Colors: Black or Grey

Sold in full rolls or by the linear foot.

Product No.:	08522	Black	78.7" x linear foot
	08522 7900	Black	78.7" x 114 feet
	08535	Grey	78.7" x linear foot
	08535 7900	Grey	78.7" x 114 feet



Rosco Floors

Apprentice™

One of Rosco's most affordable floors, it is also very versatile. Apprentice may be used in all hard shoe and soft shoe applications, making it the ideal choice for all dance styles at an economical price. It is also a terrific choice for multi-purpose rooms.

Best used for: modern, jazz, tap, ballroom, drill team

Width:	78" (2m)	Installation options:
Length:	65' (19.8m)	Semi-permanent
Thickness:	0.08" (2mm)	Permanent
Weight:	5 lbs. linear ft./325 lbs. roll	

Colors: Black, Marble Grey, Marble Tan

Sold in full rolls or by the linear foot.

Product No.:	09322	Black	78" x linear foot
	09322 7900	Black	78" x 65 feet
	09335	Marble Grey	78" x linear foot
	09335 7900	Marble Grey	78" x 65 feet
	09318	Marble Tan	78" x linear foot
	09318 7900	Marble Tan	78" x 65 feet



Performance Floor™

A durable, all-purpose floor that stands up to any studio or stage application; it can even stand up to camera dollies. Performance Floor is ideal for most forms of dance and stands up well to ballroom dancing and street shoes.

Best used for: ballet, modern, tap, ballroom

Width:	6' (1.83m)	Installation options:
Length:	60' (18.29m)	Semi-permanent
Thickness:	0.1" (2.5mm)	Permanent
Weight:	280 lbs. roll	

Colors: Black, Grey, Dark Grey, White

Sold by full roll only.

Product No.:	73035 7200	Black	72" x 60 feet
	73031 7200	Grey	72" x 60 feet
	73025 7200	Dark Grey	72" x 60 feet
	73030 7200	White	72" x 60 feet

Studio Floor

Ultra-matte, flat black floor that is ideal for ballet and many theatrical applications where a light absorptive surface is needed. Studio Floor is not designed for heavy traffic.

Best used for: ballet, theatre

Width:	6' (1.83m)	Installation options:
Length:	60' (18.29m)	Semi-permanent
Thickness:	0.08" (2mm)	Permanent
Weight:	250 lbs. roll	

Colors: Black

Sold by full roll only.

Product No.: 78035 7200 Black 72" x 60 feet

Show Floor

Designed for special events, fashion promotions, trade shows and commercials. This high shine floor provides just the right sparkle for your event. Not designed for heavy traffic.

Best used for: special events, commercials, promotions

Width:	6' (1.83m)	Installation options:
Length:	60' (18.29m)	Semi-permanent
Thickness:	0.08" (2mm)	Permanent
Weight:	275 lbs. roll	

Colors: Gloss Black, Gloss White, Gloss Red

Sold by full roll only.

Product No.	74035 7200	Gloss Black	72" x 60 feet
	74030 7200	Gloss White	72" x 60 feet
	74036 7200	Gloss Red	72" x 60 feet



Rosco Floors



Roscoleum™

This is Rosco's version of the classic battleship linoleum. This hardwearing floor provides the ideal surface for your heaviest traffic areas. Roscoleum stands up to tap, Flamenco and Irish dance and will also accommodate any soft-shoe style of dance.

Best used for: theatres, television studios, tap, Flamenco, Irish dance

Width:	78.7" (2m)	Installation options:
Length:	104.92" (32m)	Permanent
Thickness:	0.1" (2.5mm)	
Weight:	425 lbs. roll	

Colors: Black or Grey

Sold by full roll only.

Product No.:	08122 7900	Black	78.7" x 104.92'
	08135 7900	Grey	78.7" x 104.92'

Roscotiles™

Roscotiles were originally designed for television production facilities. Portable and easy to lay, Roscotiles are rugged enough to stand up to camera dollies.

Best used for: television studios, ballroom, tap, Flamenco

Width:	3'	Installation options:
Length:	3'	Temporary
Thickness:	1/8" (3mm)	Semi-permanent
Weight:	12 lbs. each	Permanent

Colors: White, Black, TV Grey

Product No.:	08415 3636	White	3 feet x 3 feet
	08422 3636	Black	3 feet x 3 feet
	08435 3636	TV Grey	3 feet x 3 feet

Rosco SubFloor



Rosco SubFloor was developed and tested by dancers to insure the perfect combination of resilience (spring or bounce) and stability. It is flexible enough to absorb the energy from a dancer's impact but provides the right amount of resistance for dance movements ranging from ballet to tap, including folk, modern, Flamenco and Irish dancing.

Most users will be able to install the Rosco SubFloor on their own. The 42" x 42" (3.5 ft. x 3.5 ft.) panels lock into each other with the unique WaveLock® design. Panels weigh only 40 pounds each. Perimeter pieces, 4 3/8" wide, lock the entire floor together. The perimeter of Rosco SubFloor systems can be bolted to concrete or wood floors and can also be removed and re-used in case of a change in venue.

An integral part of the Rosco SubFloor system is the 4.5" diameter closed cell foam pads. These 1" thick pads are affixed at specific locations on the underside of each SubFloor panel. This, combined with the Medium Density Fiberboard (MDF) construction of the panels, utilizing our patented WaveLock® technology, yields superb resilience and dimensional stability.

Width: 42"
Length: 42"
Thickness: 2"
Weight: 40 lbs. each

Installation options:
Temporary
Semi-permanent
Permanent

Product No.:	08000 4242	42" x 42" x 2" Panel
	08010 0042	4 3/8" x 3'6" x 2" Perimeter
	08010 0084	4 3/8" x 7' x 2" Perimeter
	08015 0000	4 3/8" x 1'9" x 2" (x2) Corner
	08016 0000	4 3/8" Inside Corner
	08020 0000	21" x 3'6" x 2" Ramp
	08021 0000	21" Corner Transition Ramp
	08030 1242	1' x 3'6" Custom Top Perimeter
	08030 1284	1' x 7' Custom Top Perimeter
	08030 2442	2' x 3'6" Custom Top Perimeter
	08030 2484	2' x 7' Custom Top Perimeter

How Much Will Your Floor Cost?

Find out, in just a few minutes on the Rosco website.

Rosco's Floor Calculator enables you to get a quick calculation of how much the floor you want will cost.

Choose the style of floor (Adagio, Cabriole, Royale, etc.) you want and enter your studio dimensions. Helpful information on choosing the right style of Rosco floor for your needs is also provided on the website. A conversation with a Rosco representative at any of its toll-free numbers may also be helpful. Samples of all Rosco floors are available, free for the asking.

To try the Rosco Floor Calculator go to the Rosco web site at: <http://www.rosco.com>

The screenshot shows the 'rosco floor calculator' input form. It includes a navigation menu on the left with 'Products', 'Applications', 'Techniques', 'Directory', 'Search', and 'News'. The main content area has the title 'rosco floor calculator' and a note: 'For Continental U.S. customers only. How much will your new Rosco floor cost? Choose the floor style you want, input the length and width you need and the destination to which it will be shipped and then click on the Calculate button.' The form contains four input sections: 'Floor Style:' with a dropdown menu set to 'Adagio 2000-Light Grey' and a sub-question 'Which floor do I need?'; 'Floor size:' with 'Length: 75 feet' and 'Width: 40 feet' input fields; 'Floor Tapes:' with a dropdown menu set to 'Grey Vinyl Floor Tape' and a sub-question 'Which tape do I need?'; and 'Where do we deliver the floor?' with a dropdown menu set to 'Alabama'. A 'Calculate' button is at the bottom left.

The screenshot shows the 'rosco floor calculator' results page. It includes the same navigation menu as the input form. The main content area has the title 'rosco floor calculator' and displays the following information: 'You have selected: Adagio 2000-Light Grey and Grey Vinyl Floor Tape', 'You told us your space was: 75 feet long and 40 feet wide', and 'You chose a shipping destination of: New York'. There are three tables showing different options:

Full Coverage Option				
Actual material size: 44.3 feet wide by 75 feet long				
Units	Cost	Tape	Shipping	Total
695.3 feet	\$9177.96	\$117.50	\$150.00	\$9445.46

Value Option				
Actual material size: 39.4 feet wide by 75 feet long				
Units	Cost	Tape	Shipping	Total
618 feet	\$8157.60	\$105.75	\$150.00	\$8413.35

Full Roll Option				
Units	Cost	Tape	Shipping	Total
9 rolls	\$11178.00	\$117.50	\$300.00	\$11595.50

Below the tables, there is a section: 'Would you like us to contact you about this quote? Please enter the required information and then click on Send to Rosco. Thank you for your interest.' It includes input fields for 'Last name*', 'First name*', 'Phone*', and 'E-mail address*'. A note states '* indicates a required field.' At the bottom, there are two buttons: 'Send to Rosco' and 'New Calculation'.

Floor Samples

We recognize that most people want to see a sample of the floor they are planning to buy, both to examine its texture and finish, and to test its feel. That's why Rosco makes samples of any of its floors available, free for the asking.

We provide them in two different sizes. The 3" x 5" sample is usually all that is needed to examine texture and finish. The larger sample, 8" x 10", can be stepped on to test its feel for a dancer.

Let us know which floor(s) you want sampled, whether you prefer the large or smaller size and, of course, provide your name and mailing address. Send your request to any Rosco office or by email to: floors@rosco.com

Floor Cleaners

Rosco offers various floor cleaning products, designed to meet every need.

Rosco All Purpose Floor Cleaner

Designed for the routine, regular cleaning of all Rosco vinyl floors.

No. 09116 0034 1 liter (1.06 qts.)
No. 09116 0128 1 gallon (3.79 liters)

Rosco Heavy Duty Floor Cleaner

For stripping and deep cleaning of Rosco floors.

No. 09112 0034 1 liter (1.06 qts.)
No. 09112 0128 1 gallon (3.79 liters)

Rosco Floor Wax

Liquid wax product for refreshing the finish of Rosco floors.

No. 09114 0034 1 liter (1.06 qts.)
No. 09114 0128 1 gallon (3.79 liters)

Granulated Floor Cleanser

Granulated, dissolvable chemical for cleaning all Rosco flooring surfaces.

No. 08710 5 lb. bag

Floor Adhesives

For permanent installations. Consult a professional flooring contractor before installation.

Latex Adhesive No. 555

For most porous surfaces, including concrete which is above grade.

No. 08500 0128 1 Gallon Pail (weighs 12 lbs.)
No. 08500 0384 3 Gallon Pail (weighs 31 lbs.)
Coverage is approximately 200 sq. ft. per gallon.

Epoxy Adhesive No. 300

For non-porous surfaces and concrete below grade.

No. 08300 0128 1 Gallon Kit (weighs 15 lbs.)
Coverage is approximately 110 sq. ft. per gallon.

Roscolem Adhesive

For use with Roscolem floor only.

No. 08100 0640 5 Gallons (weighs 55 lbs.)
Coverage is approximately 110 sq. ft. per gallon.



Floor Tapes

For installing floors in temporary situations.

No. 05014	Black Vinyl tape	48 mm x 33 m
No. 05015	White Vinyl tape	48 mm x 33 m
No. 05016	Grey Vinyl tape	48 mm x 33 m
No. 05013	Clear Vinyl tape	48 mm x 33 m
No. 08740	Roscofloor Double Stick tape	48 mm x 25 m

Rosco also has Gaffers Tape available for temporary installations.

Welding Threads

Welding threads are available for permanent seam sealing by professional contractors. Rosco has welding threads available for Royale, Adagio, Roscolem, Apprentice, Performance Floor and Studio Floor. Call Rosco for details.

Installing & Maintaining Your Rosco Floor

Installation and care manuals are provided with each Rosco floor.

The manual provides useful information on what to do when your floor arrives, how to install it quickly, easily and safely and how to keep it in good condition for dancing.

A separate manual is available for Rosco SubFloor.



*Photo credits:
cover: Eduardo Patino
dancer photos: Blandon Belushin*



52 Harbor View Avenue, Stamford, CT 06902 • (203)708-8900 1(800)ROSCO NY Fax: (203)708-8919
1120 N. Citrus Avenue, Hollywood, CA 90038 • (323)462-2233 1(800)ROSCO IA Fax: (323)462-3338

Also in: Toronto, London, Madrid, São Paulo and Sydney

(L25 FLO03 0304)